







PEAD-RP50JA

Power Inverter Heat Pump R410A Ceiling Concealed Ducted System

Advanced inverter technology makes the Mr Slim Power Inverter the number one choice for improving comfort. They provide energy savings of up to 70% annually when compared to a previous non-inverter model. Operating noise has also been reduced thanks to improvements in fan design, while existing pipe work is reusable for easier maintenance and installation.







Pictures not to scale


Product Details

PEAD-RP50JA Indoor Unit	
Capacity (kW):	
Heating (Nominal) (Low - High)	6.00 (2.50 - 7.30)
Cooling (Nominal) (Low - High)	5.00 (2.30 - 5.60)
Heating (UK) (Low - High)	5.10 (2.15 - 6.20)
Cooling (UK) (Low - High)	4.60 (2.10 - 5.15)
SHF R410A (Nominal)	0.84
COP / EER (Nominal)	3.85 / 3.23
Energy Label Heating / Cooling	A/A
Width - mm	900
Depth - mm	732
Height - mm	250
Weight - kg	28
Airflow (m3/min) - Lo-Mi-Hi	12-14.5-17
Noise (dBA) - Lo-Mi-Hi	26-31-35
Electrical Supply	Fed by Outdoor Unit
Fuse Rating (BS88) - HRC (A)	6
Interconnecting Cable No. Cores	4


PUHZ-RP50VHA4 Outdoor Unit	
Width - mm	800
Depth - mm	300 + 23
Height - mm	600
Weight - kg	42
Noise (dBA) (Heating /Cooling) - Lo-Hi	41-46 /41-44
Electrical Supply	220-240v, 50Hz
Phase	Single
Fuse Rating (BS88) - HRC (A)	16
SystemPower Input (kW) - Heating (Nominal)	1.56
SystemPower Input (kW) - Cooling (Nominal)	1.55
SystemPower Input (kW) - Heating (UK)	1.39
SystemPower Input (kW) - Cooling (UK)	1.32
Starting Current (A)	5
SystemRunning Current (A) - Heating / Cooling	7.38 / 7.35
Mains Cable No. Cores	3
Max Pipe Length (m)	50
Charge (kg) - 30m	2.5

Dimensions

PEAD-RP50JA



PUHZ-RP50VHA4





Telephone: 01707 282880

Email: air.conditioning@meuk.mee.com Website: http://www.mitsubishielectric.co.uk/aircon

Mitsubishi Electric reserves the right to make any variation in technical specification to the equipment described, or to withdraw or replace products without prior notification or public announcement.





